

Heat Treatment of Tubes, Bars and Wire Coils

Roller Hearth Furnaces – Plant and Process Technology



TENOVA LOI THERMPROCESS

Tenova LOI Thermprocess is one of the leading companies in supplying industrial furnace systems for the heat treatment of metals. Worldwide clients from the steel, aluminium and automotive industries rely on the technical solution competence and thousands of references backed by a history of over 100 years representing the entire know-how in the field of material properties and thermal processing. Tenova LOI Thermprocess is a global partner represented in all major markets throughout the world.

Being a driver in the transformation of the metals industry towards decarbonization and sustainability, we implement proven thermoprocessing solutions and focus on the development and implementation of fossil-free annealing technologies, especially Hydrogen, as well as electrical heating capabilities in new plants and revamps. The wide portfolio of technologies for reheating and heat treatment plants meets the most demanding market requirements.

As digitalization is one of the key drivers in our business, all our processes are enhanced by our smart digital solutions. We provide the full range of solutions for the whole life-cycle of the equipment from a single source: from new plants to modernization, maintenance and service.

Tenova LOI Thermprocess offers reliable and green solutions that minimize the environmental impact and guarantee quality, production efficiency and safety. Tenova LOI Thermprocess is a trademark of Tenova.

Tenova LOI Thermprocess – The Market Leader in **Roller Hearth Furnace Technology**

Continuous Roller Hearth Furnaces are highly productive heat treatment plants that are used for treating large quantities of long and coiled

products in controlled atmospheres. With innovative plant design, process technology and safety systems, especially with the use of process

gases, our company has been the market leader in the field of indirectly heated Roller Hearth Furnaces for decades.

Steel/stainless steel tubes and bars





Level Wound Coils (LWCs)

Heavy plates

Electrical sheet

Wire coils











HISTORY OF TENOVA LOI THERMPROCESS ROLLER HEARTH FURNACE TECHNOLOGY

Tenova LOI Thermprocess has more than 100 years of experience with Roller Hearth Furnace technology. LOI was founded in 1965, pooling the experience of the companies Ludwig (established in 1934), OFAG (established in 1920) and Indugas (established in 1928). With the acquisition of Nassheuer (established in 1910) in 1986,



the company which remains the market leader for controlled-atmosphere Roller Hearth Furnaces to this day, as Tenova LOI Thermprocess, was finally established. Innovative further developments in line with and even exceeding the highest technical requirements have continually reinforced this leading position.

For example, Tenova LOI Thermprocess has developed a continuous Roller Hearth Furnace with a process gas atmosphere of up to 100 % hydrogen which does not require vacuum or purging locks. This furnace represents the state of the art in highly advanced process gas, heating, cooling and especially safety systems and is used by customers including the world's leading stainless steel tube producers.







WE ARE THE PROCESS EXPERTS FOR THE HEAT TREATMENT OF TUBES, BARS AND WIRE COILS

Following the forming process, low-alloy or non-alloy carbon steels call for heat treatment in the temperature range from 450 °C to 1,050 °C, with processes including normalizing, recrystallizing, stress relieving, soft annealing or spheroidizing. Steel and non-ferrous metal tubes, bars and wire coils are heat-treated in continuous Roller Hearth Furnace plants using a variety of different controlled atmospheres. The atmosphere gas is selected on the basis of the charge material and the requirements to be met by the surface following treatment.



Process Gas

In the case of carbon steel grades, neutral atmosphere gases are mainly used to prevent oxidation on the metal surface. These gases are used both as purging gases and as carrier gases. Reactive gases are either added to the process gas or used as pure gases depending on the specific application. The function of reactive gases is to reduce any oxidation layers or to prevent further surface oxidation. Depending on the material and the type of reactive gas, surface decarburization may be avoided or a slight carburization of the surface may be achieved.



Heat Treatment Processes



NORMALIZING

The process of austenitizing and subsequent radiant cooling in a protective/reactive atmosphere create a ferrite-pearlite structure in the case of sub-eutectoid steels and a pearlite-carbide structure in the case of super-eutectoid steels. Depending on the material composition, temperatures above A_{c3} or A_{c1} may be needed. Roller Hearth Furnaces designed for normalizing are also used for the following two annealing processes.

RECRYSTALLIZING

This process eliminates the deformation of the crystalline structure and resulting hardening caused by cold forming. Depending on the preceding forming operations and the composition of the alloy, the treatment temperature is below A_{cr} at about 700 °C.

STRESS RELIEVE ANNEALING

▲ Jet cooling

This process relieves residual stress caused by thermal or mechanical effects without any significant change in the crystalline structure. The temperature must therefore be below a maximum of 550 °C, the point where recrystallization starts.

 Controlled-atmosphere Roller Hearth Furnace, type RoDR 7000, with enclosed waste gas system





▲ Low-temperature cooling section (NT)

▲ High-temperature cooling section (HT)

SOFT ANNEALING (SPHEROIDIZING)

In order to maintain low strength values for better machinability, sub-eutectoid steels are annealed at a temperature below A_{cl} and super-eutectoid steels are annealed above A_{cl} . The charge material must be cooled as slowly as possible so that it remains soft and machinable.

QUENCHING AND TEMPERING

Austenitizing followed by quenching transforms the structure into martensite. Subsequent heating transforms the martensite in order to adapt material properties such as hardness and toughness to the requirements faced. The quenching gradient of the cooling systems required depends on the material and the hardening time (shares of martensite and bainite in the structure). The temperature used for tempering (≤ 600 °C) determines the hardness value and the results of the process.

SOLUTION ANNEALING

Application for high-alloy steels. The process is comparable with hardening in the case of quenching and tempering. The objective is to dissolve grain boundary carbides (T = 1,050 - 1,250 °C with austenitic steels) and to maintain (freeze) the structure.

COOLING PROCESSES



Steels



▲ 3-D illustration of a Roller Hearth Furnace for carbon steel tubes with radiant cooling

NON-ALLOY/LOW-ALLOY CARBON STEELS

In order to meet the stringent requirements faced after annealing, especially as regards the carbon concentration at the surface of the charge, the furnace is operated using a nitrogen atmosphere gas which has no impact on carbon concentrations. Endothermal gas e.g. is added to the furnace atmosphere to create a certain carbon potential, which is adapted to the carbon content of the charge material. The CO content of the atmosphere can be adjusted between 1 % and 6 %. A zirconium dioxide probe or gas analyser is used for the continuous monitoring of the carbon potential. In the event of any deviations, e.g. propane is automatically injected to create a richer mixture or air is added for a leaner mixture.

HIGH-ALLOY AUSTENITIC STEELS

Hydrogen is used as the process gas for the bright solution annealing of high-alloy stainless steel. In the case of products with a larger open cross-section or higher charge weights, the use of vacuum inlet and outlet locks is a proven solution. These locks, which are hermetically sealed against the outside atmosphere, significantly reduce process gas consumption.





3-D illustration of a Roller Hearth Furnace for high-alloy steel tubes with hydrogen jet cooling

For products with smaller open cross sections or flatter charge materials, special moving curtains ensure the reliable sealing of the furnace. In this case it is therefore not absolutely necessary to install inlet or outlet locks which may make it difficult or even impossible to operate a continuous process in the furnace. A PC/PLC-based process control system monitors and documents the process and plant safety. Especially with these materials, rapid, precisely controlled cooling plays a key role in the quality of the final product.

In LOI jet cooling systems, cooling gradients of more than 5 K/s can be achieved in defined temperature ranges. In a continuous furnace plant, these cooling gradients can only be achieved if the distance between the heating section and the jet cooler is very short. In addition, the cooling gradients may be influenced by the frequency converter of the recirculation fan.

 Roller Hearth Furnace for the bright annealing of precision steel tubes



WE ARE THE ROLLER HEARTH FURNACE EXPERTS

Roller Hearth Furnaces for the heat treatment of tubes or bars are outstandingly well-suited for continuous production and high throughputs. In continuous operation, they ensure homogeneous heating, customisable soaking times and subsequent cooling in accordance with material requirements. The high temperature uniformity and low energy consumption of these plants allow reproducible processes which can be precisely adapted to the heat treatment requirements for individual materials. Material transfer systems can be ideally adapted to the specific annealing process. In addition, this type of plant does not call for repeated heating and cooling operations for each charge, combined with tightness testing.

Tubes, bars and sections are mainly supplied to the automotive and aerospace industries; for this reason, the plants may be certified in accordance with CQI 9 (automotive) or AMS 2750 (aerospace). Precisely controlled and monitored temperature management is a quality feature of LOI Roller Hearth Furnaces. User-friendly software developed in-house allows the in-situ acquisition and management of measurement results. At the same time, the data are processed and made available to the user in digital form.



Furnace design

Typically, the design of a controlledatmosphere Roller Hearth Furnace includes facilities for sealing the controlled process gas atmosphere in the furnace off from the ambient atmosphere at the furnace inlet and outlet. Depending on the individual process, these facilities may consist of special curtains and/or locks. The furnace line may also include an intermediate tunnel between the inlet lock or curtains and the furnace chamber.

Downstream from the main section of the furnace plant, the furnace chamber, a cooling section is installed. Depending on the requirements of the individual project, Tenova LOI Thermprocess uses a variety of cooling system designs for Roller Hearth Furnaces. Systems ranging from lowtemperature cooling sections via high-temperature cooling sections both based on radiation and natural convection to jet cooling are designed and combined for the individual furnace. To ensure improved energy efficiency, the cooling systems may also be equipped with appropriate heat exchangers for waste heat recovery.



FEATURES OF LOI ROLLER HEARTH FURNACES

Tenova LOI Thermprocess Roller Hearth Furnaces:

- are gas-tight thanks to their especially design and
- can therefore be used for all types of atmosphere gases with up to 100 % H, and dew points as low as $-60 \,^\circ\text{C}$.
- are extremely flexible and operate at high throughputs.
- have very low maintenance requirements and high availability.

Tenova LOI Thermprocess offers

- electric, hybrid and ("green") gas solutions for heating
- special automation solutions for handling tubes without any risk of surface damage
- compliance with demanding quality and control standards (such as CQI-9)



Roller Hearth Furnace for wire coils, type DR 4500

CONTROL AND AUTOMATION SYSTEMS

Control systems allowing the fully automated operation of plants are essential to ensure constant high product quality, ideal operation and maintenance conditions and efficient operation.

The control systems supplied by Tenova LOI Thermprocess include all the hardware and software required from switchgear through to supervisory control systems. Our control systems are based on a modern application development system designed for the latest Windows operating systems. Mobile versions are also available for smartphones and tablets.





CONTROL

The user-friendly plant visualization system ensures that users always have a clear, up-to-date view of the process and the status of plant components. Plant automation include closed-loop and openloop control, as well as charge generation, charging, tracking and reporting.

PLANT ANALYSIS

The fully automated plant control system provides functions not only including the closed-loop and open-loop control of the process but also the automatic analysis of plant components and information for preventive maintenance. Standardized software modules enable remote diagnosis by our specialists and allow us to provide remote support and accesses.



Level 0: Instrumentation

- Planning and design of plant systems (process systems, quench and transport systems)
- Preparation of specifications
- Preparation of P + I diagrams
- Motor and component list
- SLD safety logic diagram
- Innovative development work with leading process system producers
- Member of DIN-EN 746-2 standardization committee

Level 1: PLC & HMI Control

- Planning and design of plant systems (process systems, quench and transport systems)
- Use of LOI standard function library
- Programming languages FUP, SCL, S7-Graph, AWL
- Simulation of plants prior to commissioning, e.g. using S7-PLCSIM

Level 2

DMC (data management computer)

- Job planning
- Heat treatment history
- Recipe management

- Certified recipe issue (audit)
- Level 3 TCP/IP/database interface

Tenova LOI Thermprocess 4.0 offers:

- Production data exchange with higher-level ERP/MES systems
- Production data logging and analysis at all times during and after the process
- Process and throughput optimization
- Alarm management via app/email/ text message
- Mobile entry of production and measured data

AMS 2750/CQI-9 goes mobile

Heat treatment plants for automobile or aircraft components must be continuously audited according to the applicable standards. These standards are mostly related to instrumentation that demonstrates system accuracy and temperature uniformity. In order to ensure continuous AMS 2750/CQI-9 auditing holistically and without major bureaucracy, Tenova LOI Thermprocess has developed an all-in-one software solution. This allows the audit procedure to be completed directly and paperlessly at the plant using a mobile panel or tablet. Thanks to the instrumentation provided by Tenova LOI Thermprocess, the audit can be carried out and reported by only one auditor without additional personnel during production.

OUR HIGHLIGHTS... YOUR ADVANTAGES:

- Auditing of SAT check possible during production
- Paperless AMS 2750/CQI-9
 documentation
- Convenient mobile touch panel or tablet for in field entry of measurement and verification data
- Convenient PC-based audit
 management and reporting
- Easy scheduling of audit procedures
- Plant-specific parameters
- Convenient management of thermocouple data (e.g. type, supplier, interpolation values...)

- Convenient management of measuring instrument data (e.g. type, supplier, calibration values...)
- SAT report (System Accuracy Test)
- TUS analysis (Temperature Uniformity Survey) and report
- Direct application of logger result data to TUS procedure

Tenova LOI Thermprocess supplies intensive consulting and operation support for the implementation and execution of customer audit procedures.



RETROFITTING AND MODERNIZATION

Each furnace plant is unique. With know-how developed over many decades and backed by thousands of references worldwide, Tenova LOI Thermprocess supplies targeted and experienced services, as well as maintenance and spare parts specially aligned for your thermal process plant. The worldwide service network assures high availability and fast delivery.



Especially the relatively short down times and the partial reuse of existing infrastructure combined with performance improvements make modernization an attractive alternative. Irrespective of the original supplier, we can design and implement modernization projects for continuous Roller Hearth Furnaces in accordance with customers' requirements and national regulations. Plants modernized by Tenova LOI Thermprocess offer considerably higher productivity and efficiency. Our retrofit packages are also designed in line with safety and sustainability requirements.

We have the expertise required for the modernization, modification and repair of

- Steel structures
- Refractories
- Electrical systems
- Instrumentation systems
- Automation and control systems

With our digital products, we offer preventive maintenance, remote support as well as electronic, digitalized spare parts catalogues both for new plants and for the modernization of existing plants.

MODERNIZATION OF INSTRUMENTATION AND CONTROL SYSTEMS FOR HIGH QUALITY IMPROVEMENT AND UPDATED SAFETY SYSTEMS

Modifications may be needed as a result of more stringent quality, certification and safety requirements of the final customer for the products treated. One example is the



continuous improvement of quality in accordance with CQI-9 for automotive industry products. This standard poses stringent requirements for the pyrometric equipment of heat treatment lines. Another example is the modernization of safety systems by our electrical and control experts in accordance with the state of the art.

Modernization of heating systems

HIGH DECARBONIZATION POTENTIAL BY RETROFITTING THE HEATING TECHNOLOGY

Roller hearth furnaces also have a correspondingly high potential for reducing CO, emissions due to their ease of retrofitting/modernization. In contrast to measures in new plant construction, where the necessary investments are very high, modernizations are an efficient way to reduce the CO₂ footprint in the short term. In addition, modernization can easily be carried out in phases and does not necessarily have to be done in one step, and can be adapted to the specific circumstances of the customer. Technically optimized and economically viable solutions can only be created after prior analysis of the processes and infrastructure.

HIGH CAPACITY INCREASE THROUGH MODERNIZATION OF HEATING SYSTEMS

Modern high-performance recuperative burner systems in ceramic radiant tubes improve plant efficiency at the same time as reducing pollutant emissions. The possible performance improvements can be illustrated most effectively by reference to specific projects. The photographs show the modernization of the heating systems installed on an existing Roller Hearth Furnace for the heat treatment of steel tubes. In the first stage of the project, it was already possible to boost annealing capacity by a factor of 2.5. In the second stage, capacity was boosted threefold, to as much as 6,000 kg /h.

HIGH EFFICIENCY IMPROVEMENT THROUGH MODERNIZATION OF COOLING SECTIONS

Heat losses can be reduced by using microporous insulation materials to replace refractory materials. In addition, heat can be recovered by installing new high-temperature and low-temperature cooling section segments, further optimizing the energy consumption of the entire plant.

SHORT DOWNTIMES

Normally, it is only necessary to shut an existing plant down for between one and two months for the installation of new assemblies.

 Modernization of the heating system of a Roller Hearth Furnace



SERVICE AND SPARE PARTS

Each furnace plant is unique. With know-how developed over many decades and backed by thousands of references worldwide, Tenova LOI Thermprocess supplies targeted and experienced services, as well as maintenance and spare parts specially aligned for your thermal process plant. The worldwide service network assures high availability and fast delivery.



tenova

SERVICES

We provide our customers with tailor-made maintenance programs, regular technological updates, operation assessment and personnel training.

SPARE PARTS

We supply original spare parts for LOI's wide portfolio of industrial furnace systems as well as third party equipment. With LOI–SIS® (Service–Information System), a web-based catalogue for new and old equipment can be created on demand to facilitate the identification of parts and simplify the procurement process significantly.

MAINTENANCE AND REPAIR

Our experts are available for maintenance work on process control systems including mathematical models and on systems including mechanical and electrical elements, refractory linings, burners, heating/cooling systems, controllers and automation devices.



DIGITAL SERVICE

LOI's wide portfolio of different digital services help you to improve product quality, minimize downtimes and enhance your production process. These are e.g.:

- Remote Services including Remote Assistance to offer live support at your plant and Remote Control for performance monitoring
- Digital Equipment Twins using Virtual Reality that allows you to experience your equipment before it is installed
- Digital Automation Twin to accelerate your plant commissioning

- Video Furnace Inspection to easily analyze your plant
- A variety of Intelligent Process Models and Monitoring Systems for performance increases

RETROFIT AND MODERNIZATION

Our innovative and sustainable modernization solutions allow customers to minimize the environmental impact of their plant and decarbonize processes. Productivity and efficiency levels are improved, while focusing at the same time on plant safety.



Sustainable solutions for a green transition of metals

Tenova LOI Thermprocess Poland

LOI Poland Sp. z o.o. ul. Zagórska 79 Tarnowskie Góry 42-680 - Poland T +48 32 284 1639 F +48 32 284 2223 info-loipl@tenova.com

Tenova LOI Thermprocess Tianjin

Tenova Technologies (Tianjin) Co., Ltd.

2nd Floor - Tower B, Keyuan Keji Development Centre No. 8, Keyuan East Road Tianjin Hi-Tech Industry Park Tianjin, 300192 - China T +86 22 87 890 588 F +86 22 87 892 018 Ioitj@tenova.com

Tenova LOI Thermprocess India

Tenova Technologies Pvt. Ltd. IThink Techno Campus A Wing, 5th Floor Off Pokhran Road No. 2 Thane (West) Thane, Maharashtra 400601 India T +91 22 6248 9700 sales.tipl@tenova.com

Tenova LOI Thermprocess United States

Tenova Inc.

Cherrington Corporate Center Corporate Center Drive 100 Coraopolis PA 15108-3185 – United States T +1 412 262 2240 F +1 412 262 2055 tenova.usa@tenova.com





www.tenova.com

Headquarters Tenova S.p.A. Via Gerenzano, 58

21053 Castellanza, VA Italy

TECHINT GROUP



LOI Thermprocess GmbH Schifferstrasse 80 47059 Duisburg Germany e-mail: loi@tenova.com

www.loi.tenova.com